



# MATERIAL SAFETY DATA SHEET

Print date: 04/22/2010

Version: 1

Revision date: 04/22/2010

## 1. COMPANY AND PRODUCT IDENTIFICATION

**Product name:** **QUAKERCOOL® 6010 ND**  
**Product code:** 005002-13

**Supplier:**  
Quaker Chemical Corporation  
Quaker Park One  
901 Hector Street  
Conshohocken, PA 19428  
610-832-4000  
E-mail: she@quakerchem.com

**Emergency telephone number:**  
\* 24 HOUR TRANSPORTATION:  
\*\*CHEMTREC: 1-800-424-9300  
703-527-3887 (Call collect outside of US)  
\* 24 HOUR EMERGENCY HEALTH & SAFETY:  
\*\*QUAKER CHEMICAL CORPORATION: (800) 523-7010(  
Within US only)  
Outside of US call (703) 527-3887

## 2. COMPOSITION/INFORMATION ON INGREDIENTS

### HAZARDOUS COMPONENTS

Components	CAS No.	Weight %	OSHA Ceiling Limits	OSHA TWA (final):	ACGIH Ceiling Limits	ACGIH Exposure Limits:	Vendor Exposure Limits:
Mineral Oil*	8012-95-1	40 - 50%		5mg/m <sup>3</sup>		5 mg/m <sup>3</sup>	None
Benzene sulfonic acid alkyl deriv. sodium salts	78330-12-8	10 - 15%		None		None	
2,2',2''-(Hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol	4719-04-4	1 - 5%		None		None	

\* May include one or more of the following CAS #: 64741-88-4, 64741-89-5, 64741-44-2, 64741-96-4, 64741-97-5, 64742-46-7, 64742-52-5, 64742-53-6, 64742-54-7, 64742-55-8, 64742-56-9, 64742-62-7, 64742-65-0, 72623-84-8, 72623-85-9, 72623-86-0, 72623-87-1, 69029-75-0 and 64741-95-3

## 3. HAZARDS IDENTIFICATION

### Emergency Overview

This product may cause irritation of the eyes, skin, mucous membranes and respiratory tract.  
May be harmful if swallowed.

**Signal word:** CAUTION

**Principle routes of exposure:** Eyes, skin and inhalation.

**Eye contact:** Contact with eyes may cause irritation.

<b>Skin contact:</b>	Repeated or prolonged contact with base product may cause irritation leading to various skin disorders such as dermatitis, oil acne, or folliculitis. May cause sensitization by skin contact.
<b>Inhalation:</b>	Inhalation of vapor (generated at high temperatures only) or oil mist from this product may cause mild irritation of the upper respiratory tract.
<b>Ingestion:</b>	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
<b>Physico-chemical properties:</b>	No hazards resulting from material as supplied.

#### 4. FIRST AID MEASURES

<b>General advice:</b>	Take off all contaminated clothing immediately. Wash off with soap and water. If symptoms persist, call a physician.
<b>Eye contact:</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, consult a specialist.
<b>Skin contact:</b>	Remove and wash contaminated clothing before re-use.. Rinse immediately with plenty of water for at least 15 minutes. If a person feels unwell or symptoms of skin irritation appear, consult a physician.
<b>Ingestion:</b>	If swallowed, seek medical advice immediately and show this container or label. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person.
<b>Inhalation:</b>	Move to fresh air in case of accidental inhalation of vapors. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Consult a physician.
<b>Note to physician:</b>	Treat symptomatically.
<b>Medical condition aggravated by exposure:</b>	Dermatitis and asthma.

#### 5. FIRE-FIGHTING MEASURES

<b>Flash Point (°C):</b> 171	<b>Flash Point (°F):</b> 340	<b>Flash Point Method:</b> COC
<b>Flammable limits in air - lower (%):</b> Not determined	<b>Flammable limits in air - upper (%):</b> Not determined	
<b>Suitable extinguishing media:</b>	Use dry chemical, CO2, water spray or `alcohol` foam.	
<b>Unusual hazards:</b>	None known	
<b>Special protective equipment for fire-fighters:</b>	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.	
<b>Specific methods:</b>	Water mist may be used to cool closed containers.	

#### 6. ACCIDENTAL RELEASE MEASURES

<b>Personal precautions:</b>	Ensure adequate ventilation. Use personal protective equipment. Avoid contact with skin, eyes and clothing. Do not breathe vapour/dust.
------------------------------	---

**Environmental precautions:** Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up:** Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up and shovel into suitable containers for disposal.

## 7. HANDLING AND STORAGE

### Handling

**Technical measures/precautions:** Provide sufficient air exchange and/or exhaust in work rooms.

**Safe handling advice:** Do not breathe vapors or spray mist. In case of insufficient ventilation, wear suitable respiratory equipment. Wear personal protective equipment. Avoid contact with skin and eyes. Wash thoroughly after handling.

### Storage

**Technical measures/storage conditions:** Store at room temperature in the original container

**Incompatible products:** strong oxidizing agents

**Safe storage temperature:** 40-110 °F

**Shelf life:** 6 months

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Components	ACGIH Ceiling Limits	ACGIH Exposure Limits:	OSHA Ceiling Limits	OSHA TWA (final):	NIOSH - Pocket Guide - TWAs:	Vendor Exposure Limits:
Mineral Oil*		5 mg/m <sup>3</sup>		5mg/m <sup>3</sup>	5mg/m <sup>3</sup>	None
Benzene sulfonic acid alkyl deriv. sodium salts		None		None	None	None
2,2',2''-(Hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol		None		None	None	None

**Engineering measures:** Ensure adequate ventilation.

### Personal Protective Equipment

**General:** Eye Wash and Safety Shower

**Respiratory protection:** If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker health, a NIOSH/MSHA certified respirator with organic vapor/P100 filter should be worn.

**Hand protection:** Neoprene gloves

**Skin and body protection:** Long sleeved clothing

**Eye protection:** Safety glasses with side-shields.

**Hygiene measures:** Avoid contact with skin, eyes and clothing.



## 9. PHYSICAL AND CHEMICAL PROPERTIES:

<b>Physical state:</b>	Liquid
<b>Color:</b>	Clear amber
<b>Odor:</b>	Bland
<b>Boiling point/range (°C):</b>	>149
<b>Boiling point/range (°F):</b>	>300
<b>Vapor density:</b>	Not determined
<b>Vapor pressure:</b>	Not determined
<b>VOC Content Product (g/L)</b>	0.37 lb/gal (EPA Method 24)
<b>Solubility:</b>	Emulsifiable
<b>Evaporation rate:</b>	Not determined
<b>pH:</b>	8.6-9.2 @ 5%
<b>Flash Point (°C):</b>	171
<b>Flash Point (°F):</b>	340
<b>Decomposition temperature:</b>	Not determined
<b>Auto-ignition temperature (°C):</b>	Not determined
<b>Density @ 15.5 ° C (g/cc) :</b>	0.942
<b>Bulk density @ 60 ° F (lb/gal):</b>	7.86
<b>Partition coefficient (n-octanol/water, log Pow):</b>	Not determined
<b><u>Explosive properties:</u></b>	
- upper limit:	No data available
- lower limit:	No data available

## 10. STABILITY AND REACTIVITY

### **Stability:**

Stable under recommended storage conditions.

### **Conditions to avoid:**

None known

### **Materials to avoid:**

Strong oxidizing agents

### **Hazardous decomposition products:**

Carbon oxides, Sulphur oxides, Nitrogen oxides (nox)

### **Polymerisation**

Not applicable

## 11. TOXICOLOGICAL INFORMATION

**MINERAL OIL INFORMATION:** Any product containing a substance for which OSHA has established a permissible exposure limit (PEL) is considered hazardous. OSHA has established a PEL of 5 mg/m<sup>3</sup> for worker exposure to air borne mists of mineral oils. Therefore, the presence of mineral oils brings this product within the provisions of the OSHA Hazard Communication Standard where the PEL reaches or exceeds 5 mg/m<sup>3</sup>. Health studies have shown that many petroleum hydrocarbons pose potential human health risks which may vary from person to person. As a precaution, exposure to liquids, vapors, mists or fumes should be minimized.

No toxicological information is available on the product. Data obtained on components are summarized below.

Components	NTP:	IARC:	OSHA - Select Carcinogens	NIOSH - Selected LD50s and LC50s
Mineral Oil*	This product does not contain any material shown to be a carcinogen by the National Toxicology Program (NTP).	This product does not contain any material shown to be a carcinogen by the International Agency for Research on Cancer (IARC).	This product does not contain any material shown to be a carcinogen by OSHA.	22g/kgOral LD50Mouse
Benzene sulfonic acid alkyl deriv. sodium salts	This product does not contain any material shown to be a carcinogen by the National Toxicology Program (NTP).	This product does not contain any material shown to be a carcinogen by the International Agency for Research on Cancer (IARC).	This product does not contain any material shown to be a carcinogen by OSHA.	
2,2',2''-(Hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol	This product does not contain any material shown to be a carcinogen by the National Toxicology Program (NTP).	This product does not contain any material shown to be a carcinogen by the International Agency for Research on Cancer (IARC).	This product does not contain any material shown to be a carcinogen by OSHA.	2g/kgDermal LD50Rat

## 12. ECOLOGICAL INFORMATION

**Persistence and degradability:** No information available

**Mobility:** No data available

**Bioaccumulation:** No data available

**Ecotoxicity effects:** No data available

**Aquatic toxicity:** Not Determined

### Component Information

#### **2,2',2''-(Hexahydro-1,3,5-triazine-1,3,5-triyl)triethanol**

**Ecotoxicity - Fish Species** LC50 (Brachydanio rerio - 96h) = 10 - 100 mg/l

**Data:**

**Ecotoxicity - Water Flea** EC50 (Daphnia magna - 48h) = 10 - 100 mg/l

**Data:**

## 13. DISPOSAL CONSIDERATIONS

**Waste from residues/unused products:** Waste disposal must be in accordance with appropriate Federal, State, and local regulations. This product, if unaltered by use, may be disposed of by treatment at a permitted facility or as advised by your local hazardous waste regulatory authority.

**Contaminated packaging:** Do not re-use empty containers

**Methods for cleaning up:** Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up and shovel into suitable containers for disposal.

## 14. TRANSPORT INFORMATION

### U. S. DEPARTMENT OF TRANSPORTATION:

UN/NA ID Number:	UN3082
Proper shipping name:	Environmentally hazardous substance, liquid, n.o.s. (alkylbenzene sulfonate)
Hazard Class	9
Packing group:	III
RQ:	Alkylbenzene sulfonate, RQ kg = 18900
Emergency Response Guide Number:	ERG 171
Dot (bulk):	When in individual containers of less than the product RQ, this material ships as non-regulated.

### TDG (CANADA):

UN/NA ID Number:	UN3082
Proper shipping name:	Environmentally hazardous substance, liquid, n.o.s. (alkylbenzene sulfonate)
TDG Hazard Classification:	9
Packing group:	III

### IMDG/IMO:

UN nr:	UN3082
Proper shipping name:	Environmentally hazardous substance, liquid, n.o.s. (alkylbenzene sulfonate)
Class:	9
Packing group:	III
Marine pollutant:	Marine pollutant

### IATA/ICAO:

UN nr:	UN3082
Proper shipping name:	Environmentally hazardous substance, liquid, n.o.s. (alkylbenzene sulfonate)
Hazard Class:	9
Packing group:	III

## 15. REGULATORY INFORMATION

### CANADIAN REGULATIONS:

**Canada - WHMIS Classification Information:** This product has been classified according to the hazard criteria of the CPR and the MSDS contains all the information required by the CPR.

**Canadian Product Classification:** Class D2B

**Product Classification  
Graphic(s):**



### Component Classification Data:

**Mineral Oil\* - 8012-95-1**

WHMIS hazard class:

1 %

Uncontrolled product according to WHMIS classification criteria.

**U.S. FEDERAL REGULATIONS:**

**OSHA Hazard Communication Standard:** This product is considered to be hazardous under the OSHA Hazard Communication Standard.

**CERCLA/SARA - Hazardous Substances and their Reportable Quantities:** No components are listed

**CERCLA/SARA - Section 302 Extremely Hazardous Substances and TPQs:** No components are listed

**SARA (311, 312) hazard class:** This product possesses the following SARA Hazard Categories:  
**Immediate Health (Acute):** Yes  
**Delayed Health (Chronic):** No  
**Flammability:** No  
**Pressure:** No  
**Reactivity:** No

**CERCLA/SARA 313 Emission reporting:** This product contains no components subject to the reporting requirements of SARA 313.

**RCRA Status:** Not Regulated

**U.S. STATE REGULATIONS (RTK):**

**California Proposition 65 Status:** No components are listed

**Mineral Oil\* - 8012-95-1**

**MARTK:** Present  
**PARTK:** Present

**INVENTORY STATUS:**

**United States TSCA - Sect. 8(b) Inventory:** This product complies with TSCA

**Canada DSL/NDSL Inventory List** This product complies with DSL

**16. OTHER INFORMATION**

**Sources of key data used to compile the data sheet:** Material safety data sheets of the ingredients.

**Prepared by:** Quaker Chemical Corporation -Safety, Health and Environmental Affairs Group - US

**Reason for revision:** New modification

**HMIS classification:** **HMIS Use Dilution** **NFPA rating:**

**Health:** 2 **Health:** -- **Health:** 2

**Flammability:**

1

**Flammability**

--

**Flammability:**

1

**Reactivity:**

0

**Reactivity**

--

**Reactivity:**

0

**Personal Protection:**

B

**Personal Protection**

--

**Special:**

NA

\* Indicates possible chronic health effect

Personal protection recommendations should be reviewed by purchasers. Workplace conditions are important factors in specifying adequate protection.

**Disclaimer**

This product's safety information is provided to assist our customers in assessing compliance with safety/health/environmental regulations. The information contained herein is based on data available to us and is believed to be accurate. However, no warranty of merchantability, fitness for any use, or any other warranty is expressed or implied regarding the accuracy of this data, the results to be obtained from the use thereof, or the hazards connected with the use of the product. Since the use of this product is within the exclusive control of the user, it is the user's obligation to determine the conditions for safe use of the product. Such conditions should comply with all regulations concerning the product. Quaker Chemical Corporation ("Quaker") assumes no liability for any injury or damage, direct or consequential, resulting from the use of this product unless such injury or damage is attributable to the gross negligence of Quaker.

**End of Safety Data Sheet**