

MATERIAL SAFETY DATA SHEET

Print date: 05/06/2009

Version: 2

Revision date: 03/19/2009

CONTRASTINSDIERODUGIII

Product name:

QUAKERAL® 388 PW

Product code:

014622-02 01

Supplier:

Quaker Chemical Corporation Quaker Park One 901 Hector Street Conshohocken, PA 19428 610-832-4000

E-mail: she@quakerchem.com

Emergency telephone number:

* 24 HOUR TRANSPORTATION:

**CHEMTREC: 1-800-424-9300

703-527-3887 (Call collect outside of US)

* 24 HOUR EMERGENCY HEALTH & SAFETY:

**QUAKER CHEMICAL CORPORATION: (800) 523-7010(

Within US only)

Outside of US call (703) 527-3887

HAZARDOUS COMPONENTS

Components	CAS No.	Weight %	OSHA Celling Limits	OSHA TWA (final):	ACGIH Ceiling Limits	ACGIH Exposure Limits:	Vendor Exposure Limits:
1011	8012-95-1	40 - 50%		5mg/m³		5 mg/m³	None_
Mineral Oil*		1 - 5%		None		5 mg/m ³	
Triethanolamine Icohols, C16-18 and C18-	102-71-6 68920-66-1	1 - 5%		NA		None	
unsatd., ethoxylated		4 50/		None		None	3 ppm
Isopropanolamine	78-96-6	1 - 5%					
Amines, tallow alkyl,	61791-26-2	1 - 5%		None		None	
ethoxylated		4 50/		None		None	
Substituted Amine	Proprietary	1 - 5%				None	
Alcohols,C10-C12, ethoxylated, propoxylated	68154-97-2	1 - 5%		None			

^{*} May include one or more of the following CAS #: 64741-88-4, 64741-89-5, 64741-44-2, 64741-96-4, 64741-97-5, 64742-46-7, 64742-52-5, 64742-53-6, 64742-54-7, 64742-55-8, 64742-56-9, 64742-62-7, 64742-65-0, 72623-84-8, 72623-85-9, 72623-86-0, 72623-87-1, 69029-75-0 and 64741-95-3

Product name: QUAKERAL® 388 PW

Page 1 of 10

POLITA STATE TO THE CONTRACTOR OF THE

Emergency Overview

Irritating to eyes.

May cause skin irritation and/or dermatitis.

May cause irritation of respiratory tract.

May be harmful if swallowed.

Signal word:

WARNING

Principle routes of exposure:

Eves, skin and inhalation.

Eye contact:

Irritating to eyes. A component of this product may cause burns..

Skin contact:

Will cause irritation, reddening, and swelling. Repeated or prolonged contact with base product may cause irritation leading to various skin disorders such as dermatitis, oil acne, or foliculitis. Component of the product may be harmful if absorbed into the body through the skin. A component of this product may cause

burns.

Inhalation:

May cause irritation of the mucous membranes. Inhalation of vapor (generated at high temperatures only) or oil mist from this product may cause mild irritation of the

upper respiratory tract.

Ingestion:

Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea. A

component of this product can be harmful or fatal if swallowed.

Physico-chemical properties:

No hazards resulting from material as supplied.

M. FIRST ATO MEASURIES

General advice:

Take off contaminated clothing and shoes immediately.

Wash off with soap and water.

If symptoms persist, call a physician.

Eye contact:

Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes. Consult a physician

Skin contact:

Wash off immediately with soap and plenty of water. Remove and wash

contaminated clothing before re-use. If a person feels unwell or symptoms of skin

irritation appear, consult a physician...

Ingestion:

If swallowed, seek medical advice immediately and show this container or label. Do

not induce vomiting without medical advice. Never give anything by mouth to an

unconscious person.

Inhalation:

Move to fresh air in case of accidental inhalation of vapors. If not breathing, give

artificial respiration. If breathing is difficult, give oxygen. Consult a physician.

Note to physician:

Treat symptomatically.

Medical condition

aggravated by exposure:

Dermatitis and asthma.

EINER CHUNCMIKURS

Flash Point (°C): 146

Flash point (°F): 295

Flash Point Method: COC

Flammable limits in air - lower (%): Not determined

Flammable limits in air - upper (%): Not determined

Suitable extinguishing media:

Use dry chemical, CO2, water spray or `alcohol` foam.

Unusual hazards:

None known

Special protective equipment for fire-fighters:

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent)

and full protective gear.

Specific methods:

Water mist may be used to cool closed containers.

Personal precautions:

Ensure adequate ventilation. Use personal protective equipment. Avoid contact with

skin, eyes and clothing. Do not breathe vapour/dust.

Environmental precautions:

Prevent further leakage or spillage if safe to do so. Do not flush into surface water or

sanitary sewer system.

Methods for cleaning up:

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal

binder, sawdust). Sweep up and shovel into suitable containers for disposal.

Handling

Technical

Provide sufficient air exchange and/or exhaust in work rooms.

measures/precautions: Safe handling advice:

In case of insufficient ventilation, wear suitable respiratory equipment. Do not breathe

vapors or spray mist. Wear personal protective equipment. Avoid contact with skin

and eyes. Wash thoroughly after handling.

<u>Storage</u>

Technical measures/storage

conditions:

Store at room temperature in the original container. IF FROZEN, THAW AND MIX

THOROUGHLY BEFORE USE...

incompatible products:

strong acids and oxidizing agents

Safe storage temperature:

40-100 ° F

Shelf life:

6 months

Product name: QUAKERAL® 388 PW

Page 3 of 10

	stide (di			YAL PRO	ROUION!	Vendor
Components	ACGIH Ceiling Limits	ACGIH Exposure Limits:	OSHA Ceiling Limits	OSHA TWA (final):	Pocket Guide - TWAs:	Exposure Limits:
Minaral Oil*		5 mg/m³		5mg/m³	5mg/m³	None
Mineral Oil*		5 mg/m ³		None	None	None
Triethanolamine	<u> </u>	None		NA	None	None
unsatd., ethoxylated Isopropanolamine		None		None	None	3 ppm
Amines, tallow alkyl,		None		None	None	None
ethoxylated		None		None	None	None
Substituted Amine Alcohols,C10-C12, ethoxylated, propoxylated		None		None	None	None

Engineering measures:

Ensure adequate ventilation.

Personal Protective Equipment

General:

Eye Wash and Safety Shower

Respiratory protection:

If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker health, a NIOSH/MSHA certified respirator with organic

vapor/P100 filter should be worn.

Hand protection:

Neoprene gloves

Skin and body protection:

Long sleeved clothing

Eye protection:

Safety glasses with side-shields.

Hygiene measures:

Avoid contact with skin, eyes and clothing.



Physical state:

Liquid

Color: Odour: Clear, Light amber Mild, Amine-like Not determined

Vapour density: Vapour pressure:

Not determined

VOC Content Product (lb/gal)

0.52 (EPA 24 Method); 0.003 Modified EPA 24 Method @ 87 F.

Solubility:

Emulsifiable Not determined

Evaporation rate: :Hq

9.7@ 5% in distilled water

Flash Point (°C): Flash point (°F):

146 295

Decomposition temperature: Auto-ignition temperature (°C):

Not determined Not determined

Density @ 15.5 ° C (g/cc) : Bulk density @ 60 ° F (lb/gal): 0.944

Partition coefficient

7.88

Not determined

(n-octanol/water, log Pow):

Product name: QUAKERAL® 388 PW

Page 4 of 10

CONTROL DESCRIPTION OF THE PROPERTY OF THE SECOND OF THE S

Explosive properties:

upper Ilmit:lower limit:

No data available

No data available

IO STABILITY AND REACTIVITY

Stability:

Stable under recommended storage conditions.

Conditions to avoid:

None known

Materials to avoid:

Strong acids and oxidising agents

Hazardous deomposition products:

Carbon oxides, Nitrogen oxides (nox), Sulphur oxides, Oxides of phosphorus

Polymerisation

Not applicable

<u>TERMADION</u>

WARNING! Do not add nitrites to this metalworking fluid under penalty of federal law. Addition of nitrites leads to formation of a substance known to cause cancer. This product is designed to be used without nitrites.

Eye and skin irritation studies have been conducted on a 10% emulsion of this product using the Irritection® Assay System. The ocular results indicate that the material is a minimal ocular irritant. The dermal results show that the material is considered to be a dermal non-irritant.

A copy of the reports are available upon request.

MINERAL OIL INFORMATION: Any product containing a substance for which OSHA has established a permissible exposure limit (PEL) is considered hazardous. OSHA has established a PEL of 5 mg/m³ for worker exposure to air borne mists of mineral oils. Therefore, the presence of mineral oils brings this product within the provisions of the OSHA Hazard Communication Standard where the PEL reaches or exceeds 5 mg/m³. Health studies have shown that many petroleum hydrocarbons pose potential human health risks which may vary from person to person. As a precaution, exposure to liquids, vapors, mists or fumes should be minimized.

Data obtained on components are summarized below.

Product name: QUAKERAL® 388 PW

Page 5 of 10

		reterunyi.O:	MIATRON	NIOSH -
Components	NTP:	IARC:	OSHA - Select Carcinogens	Selected LD50s and LC50s
Mineral Oil*	This product does	This product does not contain any	This product does not contain any	22g/kgOral LD50Mouse
	not contain any	material shown to be	material shown to be	
	material shown to be	a carcinogen by the	a carcinogen by	
	a carcinogen by the National Toxicology	International Agency	OSHA.	
	Program (NTP)	for Research on		
	Piogram (NTF).	Cancer (IARC).		
	This product does	This product does	This product does	4190mg/kgOral LD50Ra
Triethanolamine	not contain any	not contain any	not contain any	16mL/kgDermal
	not contain any	material shown to be	material shown to be	LD50Rat
	material shown to be	a carcinogen by the	a carcinogen by	2000mg/kgDermal
	a carcinogen by the	International Agency		LD50Rabbit
	National Toxicology	for Research on		
•	Program (NTP).	Cancer (IARC).		
	This was done	This product does	This product does	
Alcohols, C16-18 and C18-	This product does	not contain any	not contain any	1
unsatd., ethoxylated	not contain any	material shown to be	material shown to be	.[
	material shown to be	a carcinogen by the	a carcinogen by	
	a carcinogen by the	International Agency		
	National Toxicology	for Research on		
	Program (NTP).	Cancer (IARC).		
		This product does	This product does	1715mg/kgOral LD50R
Isopropanolamine	This product does	not contain any	not contain any	
	not contain any			
		material shown to be a carcinogen by the		1
	a carcinogen by the			
	National Toxicology	for Research on	001	
	Program (NTP).	Cancer (IARC).		
		This product does	This product does	620mg/kgOral LD50R
Amines, tallow alkyl,	This product does	not contain any	not contain any	10g/kgDermal LD50R
ethoxylated	not contain any	1		
	material shown to be	1	- I	
	a carcinogen by the			
	National Toxicology	for Research on	,	
	Program (NTP).	Cancer (IARC)		
	This was duet door	This product does	This product does	373mg/kgOral LD50R
Substituted Amine	This product does	not contain any	not contain any	500mg/kgOral
	not contain any	motorial shown to h	e material shown to b	e LD50Mouse
	material shown to b	e a carcinogen by the	a carcinogen by	200-316mg/kgDerma
	a carcinogen by the			LD50Rabbit
	National Toxicology	for Research on	,	·
	Program (NTP).	Cancer (IARC).		
	This product door		This product does	
Alcohols,C10-C12,	This product does	not contain any	not contain any	
ethoxylated, propoxylated	not contain any	o material shown to h	e material shown to b	e
	material shown to b	e a carcinogen by the	e a carcinogen by	
	a carcinogen by the			
	National Toxicolog	for Research on	,,,	
	Program (NTP).	Cancer (IARC).	1	1

IL EGOLOGICAL IN FORMATION

Persistence and degradability:

No information available

Mobility:

No data available

Bioaccumulation:

No data available

Ecotoxicity effects:

No data available

Aquatic toxicity:

Not Determined

Triethanolamine

Ecotoxicity - Fish Species Data:

LC50 (Pimephales promelas - 96h) = 10600-13000 mg/L

LC50 (Pimephales promelas - 96h) = >1000 mg/L LC50 (Lepomis macrochirus - 96h) = 450-1000 mg/L LC50 (Pimephales promelas - 96h) = 10600-13000 mg/L

Isopropanolamine

Ecotoxicity - Fish Species Data: LC50 (Pimephales promelas - 96h) = 2390-2650 mg/L

Substituted Amine

Ecotoxicity - Fish Species Data:

LC50 (Brachydanio rerio - 96h) = 62 mg/L

LC50 (Oryzias latipes - 96h) = 12 mg/L - OECD 203; ISO 7346; 92/69/EEC, C.1 -

BASF

13 IDISPOSALI GONSIDERATIONS

Waste from residues/unused

products:

Waste disposal must be in accordance with appropriate Federal, State, and local regulations. This product, if unaltered by use, may be disposed of by treatment at a

permitted facility or as advised by your local hazardous waste regulatory authority.

Contaminated packaging:

Do not re-use empty containers

Methods for cleaning up:

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal

binder, sawdust). Sweep up and shovel into suitable containers for disposal.

SEORILINFORMALION

U.S. DEPARTMENT OF TRANSPORTATION:

Proper shipping name:

Not Regulated

TDG (CANADA):

Proper shipping name:

Not Regulated

IMDG/IMO:

Proper shipping name:

Not Regulated

IATA/ICAO:

Proper shipping name:

Not Regulated

CLASSIFICATION AND

LABELING

Standard:

SDS code:

OSHA Hazard Communication

This product is considered to be hazardous under the OSHA Hazard Communication Standard.

Product name: QUAKERAL® 388 PW 014622-02 01

Page 7 of 10

Canada - WHMIS Classification Information:

This product has been classified according to the hazard criteria of the CPR and the

MSDS contains all the information required by the CPR.

Canadian Product Classification: Class D2B

Product Classification

Graphic(s):



Component Classification

Data:

Mineral Oil* - 8012-95-1

WHMIS hazard class:

1%

Uncontrolled product according to WHMIS classification criteria.

Triethanolamine - 102-71-6

WHMIS hazard class:

Uncontrolled product according to WHMIS classification criteria

Amines, tallow alkyl, ethoxylated - 61791-26-2

WHMIS hazard class:

D2B

Substituted Amine -

WHMIS hazard class:

Ē

Canadian National Pollution

Inventory Data:

Triethanolamine - 102-71-6

Canada - National Pollution Listed

Release Inventory

Substituted Amine -

Canada - National Pollution Listed

Release Inventory

U.S. REGULATIONS:

SARA (311, 312) hazard class:

This product possesses the following SARA Hazard Categories:

Immediate Health (Acute):

Yes

Delayed Health (Chronic):

Yes

Flammability:

No

Pressure:

No

Reactivity:

No

RCRA Status

Not Regulated

Product name: QUAKERAL® 388 PW

STATE REGULATIONS (RTK):

California Proposition 65 Status:

No components are listed

INVENTORY STATUS:

United States TSCA - Sect. 8(b) Inventory:

This product does not comply with TSCA

Canada DSL Inventory List -

Compliance has not been determined

EC EINECS/ELINCS/NLP list:

Compliance has not been determined

Inventory - Japan - Existing and New Chemical

Substances (ENCS):

Compliance has not been determined.

THER INFORMATION

Sources of key data used to compile the data sheet:

Material safety data sheets of the ingredients.

Prepared by:

Quaker Chemical Corporation -Safety, Health and Environmental Affairs Group - US

Reason for revision:

This data sheet contains changes from the previous version in section(s) 9 (added

VOC Information)

HMIS classification:

HMIS Use Dilution

NFPA rating:

Health:

Health

Health:

2*

Flammability:

Flammability

Flammability:

Reactivity:

Reactivity

Reactivity:

NA

Personal Protection:

Personal Protection

Special:

* Indicates possible chronic heath effect

Personal protection recommendations should be reviewed by purchasers. Workplace conditions are important factors in specifying adequate protection.

Product name: QUAKERAL® 388 PW

Disclaimer

This product's safety information is provided to assist our customers in assessing compliance with safety/health/environmental regulations. The information contained herein is based on data available to us and is believed to be accurate. However, no warranty of merchantability, fitness for any use, or any other warranty is expressed or implied regarding the accuracy of this data, the results to be obtained from the use thereof, or the hazards connected with the use of the product. Since the use of this product is within the exclusive control of the user, it is the user's obligation to determine the conditions for safe use of the product. Such conditions should comply with all regulations concerning the product. Quaker Chemical Corporation ("Quaker") assumes no liability for any injury or damage, direct or consequential, resulting from the use of this product unless such injury or damage is attributable to the gross negligence of Quaker.

End of Safety Data Sheet

Page 10 of 10 Product name: QUAKERAL® 388 PW

014622-02 01