



Material Safety Data Sheet

Print date: 03/16/2004

Version: 0

Revision date: 01/30/2004

1. COMPANY AND PRODUCT IDENTIFICATION

Product code: 008747-13 06
Product name: QUAKER FORMULA® 75 PC

Supplier:
Quaker Chemical Corporation
Quaker Park One
901 Hector Street
Conshohocken, PA 19428
610-832-4000
E-mail: she@quakerchem.com

Emergency telephone number:
* 24 HOUR TRANSPORTATION:
**CHEMTREC: 1-800-424-9300
703-527-3887 (Call collect outside of US)
* 24 HOUR EMERGENCY HEALTH & SAFETY:
**QUAKER CHEMICAL CORPORATION: (800) 523-7010
Within US only
Outside of US call (703) 527-3887

2. COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS COMPONENTS

Listed Components	Weight %	CAS No.	OSHA TWA (final):	ACGIH Exposure Limits:
Benzenesulfonic acid, dodecyl-	5 - 10%	27176-87-0	None	None
2-Butoxyethanol	1 - 5%	111-76-2	3mg/m ³ 3ppm	20 ppm
4-Nonylphenoxypolyethoxyethanol, branched	1 - 5%	127087-87-0	None	None
Sodium Tripolyphosphate	1 - 5%	7758-29-4	None	None

3. HAZARDS IDENTIFICATION

Emergency Overview

The product causes burns of eyes, skin and mucous membranes.
May cause irritation of respiratory tract.
Harmful if swallowed.

Principle routes of exposure: Eyes, skin and inhalation.

Signal word: WARNING

Eye contact: Irritating to eyes. May cause eye burns.

Skin contact: Contact causes severe skin irritation and possible burns.

Inhalation: Avoid breathing vapors or mists. May cause irritation of respiratory tract.

Ingestion: Can burn mouth, throat, and stomach. Ingestion may cause nausea, vomiting, sore throat, stomach-ache and eventually lead to a perforation of the intestine.

Physico-chemical properties: No hazards resulting from material as supplied.

4. FIRST AID MEASURES

General advice: Call a physician immediately.. Show this safety data sheet to the doctor in attendance..

Eye contact: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Consult a physician

Skin contact: Rinse immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing before re-use. Consult a physician if necessary.

Ingestion: If swallowed, seek medical advice immediately and show this container or label. Do not induce vomiting. Never give anything by mouth to an unconscious person.

Inhalation: Move to fresh air in case of accidental inhalation of vapors. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Consult a physician.

Notes to physician: Treat symptomatically.

Medical condition aggravated by exposure: None known.

5. FIRE-FIGHTING MEASURES

Flash point (°C): NA	Flash point (°F): NA	Flash Point Method: Not applicable
Flammable limits in air - lower (%): Not determined	Flammable limits in air - upper (%): Not determined	
Suitable extinguishing media:	Use dry chemical, CO2, water spray or 'alcohol' foam.	
Unusual hazards:	None known	
Special protective equipment for fire-fighters:	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.	
Specific methods:	Water mist may be used to cool closed containers.	

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Ensure adequate ventilation.

Environmental precautions: Do not flush into surface water or sanitary sewer system.

Methods for cleaning up: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

7. HANDLING AND STORAGE

Handling

Technical measures/precautions: Provide sufficient air exchange and/or exhaust in work rooms.

Safe handling advice: Avoid contact with skin and eyes. Do not breathe vapors or spray mist. In case of insufficient ventilation, wear suitable respiratory equipment. Wear personal protective equipment. Keep container tightly closed. Wash thoroughly after handling.

Storage

Technical measures/storage conditions: Store at room temperature in the original container

Incompatible products: No information available

Safe storage temperature: 4 - 40 °C

Shelf life: 6 months

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Listed Components	ACGIH Exposure Limits:	OSHA TWA (final):	NIOSH - Pocket Guide - TWAs:	Vendor Exposure Limits:
2-Butoxyethanol	20 ppm	3mg/m ³ 3ppm	24mg/m ³ TWA 5ppmTWA	

Engineering measures: Ensure adequate ventilation.

Personal Protective Equipment

General: Eye Wash and Safety Shower

Respiratory protection: In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.

Hand protection: Neoprene gloves

Skin and body protection: Usual safety precautions while handling the product will provide adequate protection against this potential effect.

Eye protection: Safety glasses with side-shields

Hygiene measures: Avoid contact with skin, eyes and clothing.



9. PHYSICAL AND CHEMICAL PROPERTIES:

Physical state: Liquid.
Color: clear, light yellow
Odour: Solvent
Boiling point/range (°C): >100
Boiling point/range (°F): >212
Vapour density: Not determined
Vapour pressure: Not determined
Solubility: Completely soluble
Evaporation rate: Not determined

VOC Content Product: 1.41 lb/gal (EPA Calculation)
pH: 11.6-12.0
Flash point (°C): NA
Flash point (°F): NA
Decomposition temperature: Not determined
Autoignition temperature: Not determined
Density @ 15.5 ° C (g/cc) : 1.032
Bulk density @ 60 ° F (lb/gal): 8.61
Partition coefficient (n-octanol/water, log Pow): Not determined
Explosive properties:
- upper explosion limit: No data available
- lower explosion limit: No data available

10. STABILITY AND REACTIVITY

Conditions to avoid:

None known

Materials to avoid:

Strong acids and oxidising agents

Hazardous decomposition products:

None under normal use

Stability:

Stable under recommended storage conditions.

Polymerization:

None under normal processing.

11. TOXICOLOGICAL INFORMATION

This product contains ethylene glycol monobutyl ether which has been shown to cause red blood cell hemolysis with secondary injury to the kidney and liver in laboratory animals. However humans appear to be resistant to this effect.

No toxicological information is available on the product. Data obtained on components are summarized below.

Listed Components	NTP:	IARC:	OSHA - Select Carcinogens	NIOSH - Selected LD50s and LC50s
Benzenesulfonic acid, dodecyl-	This product does not contain any material shown to be a carcinogen by the National Toxicology Program (NTP).	This product does not contain any material shown to be a carcinogen by the International Agency for Research on Cancer (IARC).	This product does not contain any material shown to be a carcinogen by OSHA.	650mg/kgOral LD50Rat
2-Butoxyethanol	male rat-no evidence; female rat-equivocal evidence; male mice-some evidence; female mice-some evidence	This product does not contain any material shown to be a carcinogen by the International Agency for Research on Cancer (IARC).	This product does not contain any material shown to be a carcinogen by OSHA.	1230mg/kgOral LD50Mouse 220mg/kgDermal LD50Rabbit 450ppmInhalation LC50Rat 470mg/kgOral LD50Rat 700ppmInhalation LC50Mouse
4-Nonylphenoxypolyethoxyethanol, branched	This product does not contain any material shown to be a carcinogen by the National Toxicology Program (NTP).	This product does not contain any material shown to be a carcinogen by the International Agency for Research on Cancer (IARC).	This product does not contain any material shown to be a carcinogen by OSHA.	
Sodium Tripolyphosphate	This product does not contain any material shown to be a carcinogen by the National Toxicology Program (NTP).	This product does not contain any material shown to be a carcinogen by the International Agency for Research on Cancer (IARC).	This product does not contain any material shown to be a carcinogen by OSHA.	3100mg/kgOral LD50Mouse 3120mg/kgOral LD50Rat

12. ECOLOGICAL INFORMATION

Persistence and degradability: No information available

Mobility: No data available

Bioaccumulation: No data available

Ecotoxicity effects: No data available

Aquatic toxicity: Not Determined

13. DISPOSAL CONSIDERATIONS

Waste from residues/unused products:

Waste disposal must be in accordance with appropriate Federal, State, and local regulations. This product, if unaltered by use, may be disposed of by treatment at a permitted facility or as advised by your local hazardous waste regulatory authority.

Contaminated packaging:

Do not re-use empty containers

Methods for cleaning up: Take up mechanically and collect in suitable container for disposal.

14. TRANSPORT INFORMATION

U. S. DEPARTMENT OF TRANSPORTATION:

Proper shipping name:	Environmentally Hazardous Substances, Liquid, N.O.S. (Contains sodium dodecylbenzene sulfonate)
D.O.T. Hazard Class(es)	9
UN/NA ID Number:	3082
Packing group:	III
RQ:	Dodecylbenzene sulfonic acid, RQ kg= 8400
Emergency Response Guide Number:	171
DOT Label(s):	For Bulk Packaging Only

TDG (CANADA):

Proper shipping name:	Environmentally Hazardous Substances, Liquid, N.O.S. (Contains sodium dodecylbenzene sulfonate)
TDG Hazard Classification:	9
UN Number:	3082
Packaging group:	III

IMDG/IMO:

Proper shipping name:	Environmentally Hazardous Substances, Liquid, N.O.S. (Contains sodium dodecylbenzene sulfonate)
Class:	9
UN Number:	3082
Packaging group:	III

IATA/ICAO:

Proper shipping name:	Environmentally Hazardous Substances, Liquid, N.O.S. (Contains sodium dodecylbenzene sulfonate)
IATA - Hazard Classifications	9
UN Number:	3082
Packaging group:	III

15. REGULATORY INFORMATION

CLASSIFICATION AND LABELING

OSHA Hazard Communication Standard:	This product is considered to be hazardous.
Canada - WHMIS Classification Information:	This product has been classified according to the hazard criteria of the CPR and the MSDS contains all the information required by the CPR.
Product Classification:	Class D2B - Poisonous and Infectious Material: Other toxic effects - includes irritants, skin sensitizers and/ or chronic health effects

Product Classification Graphic(s):



**Component Classification
Data:**

Benzenesulfonic acid, dodecyl- - 27176-87-0
WHMIS hazard class: E

2-Butoxyethanol - 111-76-2
WHMIS hazard class: B3; D1A; D2B

Sodium Tripolyphosphate - 7758-29-4
WHMIS hazard class: Uncontrolled product according to WHMIS classification criteria.

U.S. REGULATIONS:

SARA (311, 312) hazard class: This product possesses the following SARA Hazard Categories:

Immediate Health (Acute): Yes
Delayed Health (Chronic): Yes
Flammability: No
Pressure: No
Reactivity: No

2-Butoxyethanol - 111-76-2
CERCLA/SARA 313 Emission reporting Listed

RCRA Status Not Regulated

2-Butoxyethanol - 111-76-2
CAA - 1990 Hazardous Air Pollutants: Listed

STATE REGULATIONS (RTK):

California Proposition 65 Status: No components are listed

Benzenesulfonic acid, dodecyl- - 27176-87-0
MARTK: Present
NJRTK: sn 0822
PARTK: environmental hazard

2-Butoxyethanol - 111-76-2
MARTK: Present
NJRTK: sn 0275
PARTK: [present]
environmental hazard

Sodium Tripolyphosphate - 7758-29-4
MARTK: Present
NJRTK: sn 3042
PARTK: environmental hazard

INVENTORY STATUS:

United States TSCA - Sect. 8(b) Inventory:	This product complies with TSCA
Canada DSL Inventory List -	This product complies with DSL
Canada NDSL Inventory List -	NDSL compliance has not been determined
EU EINECS/ELINCS/NLP list:	Compliance has not been determined

16. OTHER INFORMATION

Sources of key data used to compile the data sheet:	Material safety data sheets of the ingredients.
Reason for revision:	New Format
Prepared by:	Quaker Chemical Corporation -Safety, Health and Environmental Affairs Group - US
<u>HMIS classification:</u>	<u>NFPA rating:</u>
Health: 2*	Health: 2
Flammability: 0	Flammability: 0
Reactivity: 0	Reactivity: 0
Personal Protection: B	Special: NA

* Indicates possible chronic health effect

Personal protection recommendations should be reviewed by purchasers. Workplace conditions are important factors in specifying adequate protection.

Disclaimer:

This product's safety information is provided to assist our customers in assessing compliance with safety/health/environmental regulations. The information contained herein is based on data available to us and is believed to be accurate. However, no warranty of merchantability, fitness for any use, or any other warranty is expressed or implied regarding the accuracy of this data, the results to be obtained from the use thereof, or the hazards connected with the use of the product. Since the use of this product is within the exclusive control of the user, it is the user's obligation to determine the conditions for safe use of the product. Such conditions should comply with all regulations concerning the product. Quaker Chemical Corporation ("Quaker") assumes no liability for any injury or damage, direct or consequential, resulting from the use of this product unless such injury or damage is attributable to the gross negligence of Quaker.

End of Safety Data Sheet