



MATERIAL SAFETY DATA SHEET
LPS® Tapmatic® Edge Lube

Revision Date: July 20, 2011

Supersedes: July 30, 2008

Section 1 • Product and Company Identification

Product Name: LPS® Tapmatic® Edge Lube

Part Number(s): 43200, C43200

Chemical Name: Blended Compound

Product Use: A metal-cutting fluid designed for cutting and forming applications.

Manufacturer Information: LPS Laboratories, 4647 Hugh Howell Road, Tucker, GA, USA 30084
TEL: USA & Canada: 1 800 241-8334
Outside USA and Canada: +1 770 243-8800
FAX: USA & Canada: 1 800 543-1563
Outside USA and Canada: +1 770 243-8899

Emergency Telephone Number: Chemtrec: USA & Canada: 1 800 424-9300
Outside USA and Canada: +1 703 527-3887

Website: <http://www.lpslabs.com>

Section 2 • Hazards Identification

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

Emergency Overview:

Aerosol: Not applicable

Bulk: CAUTION: May cause eye irritation.

Primary route(s) of entry: Skin and eye contact.

Potential Acute Health Effects:

Eyes: Irritating to eyes.

Skin: Repeated exposure may cause skin dryness or cracking.

Inhalation: Low order of toxicity but may irritate respiratory system.

Ingestion: Not a likely route of exposure. Ingestion may result in nausea, abdominal discomfort or diarrhea. If swallowed, call a physician immediately. ONLY induce vomiting at the instruction of a physician. Never give anything by mouth to an unconscious person.

Potential Chronic Health Effects:

Carcinogenic Effects: NTP: No IARC: No OSHA: No ACGIH: No

Mutagenic Effects: None

Teratogenic Effects: None

Target Organs: None



MATERIAL SAFETY DATA SHEET

LPS® Tapmatic® Edge Lube

Revision Date: July 20, 2011

Supersedes: July 30, 2008

Medical conditions aggravated by exposure:

None known at this time.

Signs and Symptoms

Stinging in eyes. Repeated or prolonged skin contact can cause redness, irritation, and scaling of the skin (dermatitis).

Section 3 • Composition / Information on Ingredients

Component	CASRN	Weight Percent
C10 - C16 Ethoxylated Alcohols	68002-97-1	3 - 7%

The remaining ingredients are not classified as "hazardous" per 29 CFR 1910.1200 Subpart Z.

Section 4 • First Aid Measures

Eyes:	Check for and remove contact lenses. If irritation or redness develops, flush eyes with cool, clean, low pressure water for at least 15 minutes. Hold eyelids apart to ensure complete irrigation of the eye and eyelid tissue. DO NOT use eye ointment. Seek medical attention immediately.
Skin:	Remove contaminated shoes and clothing. Clean affected area thoroughly with mild soap and water. DO NOT use ointments. Seek medical attention if irritation persists.
Inhalation:	Immediately move victim to fresh air. If victim is not breathing, immediately begin rescue breathing. If heart has stopped, immediately begin cardiopulmonary resuscitation (CPR). If breathing is difficult, seek medical attention immediately.
Ingestion:	DO NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If spontaneous vomiting is about to occur, place victim's head below knees. If victim is drowsy or unconscious, place on the left side with head down. DO NOT leave victim unattended. Seek medical attention immediately.

Section 5 • Fire Fighting Measures

Products of Combustion:	Carbon monoxide and carbon dioxide.		
General Fire Hazards:	High heat will cause product to boil, evolving vapor that could cause explosive rupture of closed containers.		
Firefighting media:	SMALL FIRE: Use DRY chemical powder. LARGE FIRE: Use CO2, water spray, fog or foam. Cool containing vessels with water jet in order to prevent pressure build-up, auto-ignition or explosions.		
Sensitivity to Impact:	None	Sensitivity to Static Discharge:	None
Protection Clothing (Fire):	Firefighters must use full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies.		
Special Remarks on Explosion Hazards:	None		



MATERIAL SAFETY DATA SHEET
LPS® Tapmatic® Edge Lube

Revision Date: July 20, 2011

Supersedes: July 30, 2008

Section 6 • Accidental Release Measures

- Containment Procedures:**
- Small Spill and Leak:** Absorb with an inert material and dispose of properly.
- Large Spill and Leak:** Dike far ahead of a liquid spill to ensure complete collection. Pick up free liquid for disposal using absorbent pads, sand or other inert non-combustible absorbent materials. Place into appropriate waste containers for later disposal. Do not allow to enter drains, sewers or waterways. Spillages or uncontrolled discharges into waterways must be alerted to the Environment Agency or other appropriate regulatory body.
- Clean-Up Procedures:** Recover free product and place in a suitable container for disposal.
- Evacuation Procedures:** Ventilate area of leak or spill. Keep unnecessary and unprotected people away.
- Special Procedures:** Wear appropriate protective equipment during cleanup.

Section 7 • Handling and Storage

- Handling:** Avoid contact with skin and eyes. Wash thoroughly after handling.
- Storage:** Keep container sealed until ready for use. Keep container in a cool, well-ventilated area. Store between 40°F and 120°F (4.4°C and 49°C).
- Precautions to be taken in handling and storage:**
Store all materials in a dry, well-ventilated area.

Section 8 • Exposure Controls / Personal Protection

Exposure Guidelines:

Component	CASRN	OSHA	ACGIH	NIOSH	Supplier
C10 - C16 Ethoxylated Alcohols	68002-97-1	Not established	Not established	Not established	None reported

- Engineering Controls:** Provide general and/or local exhaust ventilation to keep exposures below the exposure guidelines listed above.
- Personal protective equipment**
- Eye protection:** Safety glasses with side shields conforming to appropriate regulations. Eye wash fountain and emergency shower facilities are recommended.
- Hand protection:** Normally no hand protection is required; however, using chemical resistant gloves is recommended.
- Respiratory protection:** Typical use of this product under normal conditions does not require the use of respiratory protection. If airborne concentrations are above the applicable exposure limits (listed above), use NIOSH approved respiratory protection (i.e. organic vapor cartridge).
- General Hygiene Considerations:** Wash thoroughly after handling. Have eye-wash facilities immediately available.



MATERIAL SAFETY DATA SHEET
LPS® Tapmatic® Edge Lube

Revision Date: July 20, 2011

Supersedes: July 30, 2008

Section 9 • Physical and Chemical Properties

Appearance:	Solid	Color:	Off-white, light yellow
Odor:	Fatty	Evaporation Rate:	None
Solubility Description:	Slightly soluble in water	Flash Point:	170°C (338°F)
Boiling Point:	Not established	Flash Point Method:	Tag-Closed Cup
Specific Gravity (H2O=1):	0.82 - 0.84 @ 20°C	Decomposition Temperature:	Not established
Vapor Density (air = 1):	Not established	Auto ignition temperature:	Not established
Vapor Pressure:	Not established	Flammable limits (estimated):	LOWER: N.E. UPPER: N.E.
Rule 1171 PPc:	Not established	Partition Coefficient (octanol/water):	< 1
V.O.C. Content:	Aerosol: Not applicable Bulk: 0%, 0 g/L, 0 lb/gal	Odor Threshold:	Not established
Melting Point:	Not established	Viscosity:	Not established
pH:	Not applicable	Volatiles:	0%
Heat of combustion:	Aerosol: Not applicable Bulk: Not established		

Section 10 • Stability and Reactivity

Chemical Stability:	Product is stable under recommended storage conditions.
Conditions to Avoid:	No specific measures to avoid.
Incompatibility:	Reactive or incompatible with oxidizing agents.
Hazardous Decomposition:	These products are carbon oxides (CO, CO2), strong acids and bases.
Hazardous Polymerization:	Will not occur.

Section 11 • Toxicological Information

Acute and Chronic Toxicity

A: General Product Information

An acute toxicity study of this product has not been conducted. Information given in this section relates only to individual constituents contained in this preparation.

B: Component Analysis

Component	CASRN	LC-50	LD-50
C10 - C16 Ethoxylated Alcohols	68002-97-1	0.22 - 8 mg/L / rat	> 10,250 mg/kg / dermal / rabbit > 1000 mg/kg / oral / rat*

* Supplier Data



MATERIAL SAFETY DATA SHEET
LPS® Tapmatic® Edge Lube

Revision Date: July 20, 2011

Supersedes: July 30, 2008

Section 12 • Ecological Information

Mobility: Expected to partition to sediment. **Persistence / Degradability:** Biodegradable
Bioaccumulative potential: No bioaccumulation potential **Other adverse effects:** Toxic to the aquatic environment.

Ecological studies have not been conducted for this product. The following information is available for component(s) of this product.

Ecotoxicity

Effects on Organisms	Component	CASRN	Test	Species	Results
Acute Toxicity on Fishes	C10 - C16 Ethoxylated Alcohols	68002-97-1	96-hr LC50	Poecilia Reticulata	6.5 mg/L
Acute Toxicity on Daphnia	C10 - C16 Ethoxylated Alcohols	68002-97-1	48-hr EC50	Daphnia Magna	2.32 mg/L
Bacterial Inhibition	No data available				
Growth inhibition of algae	C10 - C16 Ethoxylated Alcohols	68002-97-1	72-hr EbC50	Scenedesmus Subspicatus	2.7 mg/L
Bioaccumulation in fish	No data available				

* Supplier Data

Section 13 • Disposal Considerations

Waste Status: In its purchased form, this material does not meet the definition of a RCRA hazardous waste (40 CFR 261).
Disposal: Waste must be disposed of in accordance with any and all applicable environmental control rules and/or regulations.
Note: Chemical additions to, processing of, or otherwise altering this material may make this waste management information inaccurate, incomplete, or otherwise inappropriate. Furthermore, state and local waste disposal requirements may be more restrictive than federal laws and regulations.

Section 14 • Transport Information

This product is not regulated by any mode of transportation.

The preceding information is subject to change and must be verified prior to shipment. It is the responsibility of anyone offering hazardous materials for shipment to ensure compliance with all applicable regulations.



MATERIAL SAFETY DATA SHEET
LPS® Tapmatic® Edge Lube

Revision Date: July 20, 2011

Supersedes: July 30, 2008

Section 15 • Regulatory Information

U.S. Federal Regulations

RCRA Hazardous Waste No.: None

Comprehensive Environmental Response, Compensation and Liability Act of 1980 (CERCLA):
None

Toxic Substances Control Act (TSCA):
All components of this product are TSCA inventory listed and/or are exempt.

Superfund Amendments and Reauthorization Act (SARA) Title III SARA Section 311/312 (40 CFR 370) Hazard Categories:
Immediate (Acute) Health Hazard.

This product contains the following toxic chemical(s) subject to reporting requirements of SARA Section 313 (40 CFR 372):
No individual section 313 component is present at or above 1%.

Section 112 Hazardous Air Pollutants (HAPs): None

State Regulations

California: This product does not contain chemical(s) known to the State of California to cause cancer, birth defects or other reproductive harm.

California and OTC States: This product is not regulated by consumer product regulations.

New Jersey Right to Know:
Aerosol: Not applicable
Bulk: Stearyl Alcohol 112-92-5 • Oleyl Alcohol 143-28-2 • C10 - C16 Ethoxylated Alcohol 68002-97-1

International Regulations

Canadian Environmental Protection Act (CEPA):
All of the components of this product are included on the Canadian Domestic Substances list (DSL).

Canadian Workplace Hazardous Materials Information System WHMIS:
This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

WHMIS Classification:

Bulk: Class D2B



Other Regulations:

Montreal Protocol listed ingredients:	None
Stockholm Convention listed ingredients:	None
Rotterdam Convention listed ingredients:	None
RoHS Compliant:	Yes




MATERIAL SAFETY DATA SHEET
LPS® Tapmatic® Edge Lube

Revision Date: July 20, 2011

Supersedes: July 30, 2008

Section 16 • Other Information

MSDS#: 43200 MSDS Preparation Responsible Name: Elena Badiuzzi Compliance Manager Telephone: +1 770 243-8800	HMIS 1996		HMIS III		NFPA Flammability  Health Reactivity Special
	Health:	1	Health:	[/] 1	
	Flammability:	0	Flammability Aerosol:	NA	
	Reactivity:	0	Flammability Bulk:	0	
			Physical Hazard Aerosol:	NA	
			Physical Hazard Bulk:	0	

Notice to Reader:

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Elena Badiuzzi, Compliance Manager
LPS Laboratories, a division of Illinois Tool Works